

# Table of contents: Volume 252 1988

No.1 1-222 issued on 17.03.1988  
 No.2 223-478 issued on 19.04.1988  
 No.3 479-690 issued on 04.05.1988

- Alvarez CM → Burke RD 411-417  
 Anderson SK → Yablonka-Reuveni Z et al 339-348  
 Anton-Erxleben F, Langer H: Functional morphology of the ommatidia in the compound eye of the moth, *Antheraea polyphemus* (Insecta, Saturniidae) 385-396  
 Arai T → Saitoh O et al 263-273  
 Arai Y → Matsumoto A et al 33-37  
 Aumüller G, Vesper M, Seitz J, Kemme M, Scheit KH: Binding of a major secretory protein from bull seminal vesicles to bovine spermatozoa 377-383  
 Bailey RP → Ebbesson SOE et al 215-218  
 Baldino F Jr → Card JP et al 307-315  
 Bauman KF → Ward BJ et al 57-66  
 Baumeister FAM, Herzog V: Sulfation of thyroglobulin: A ubiquitous modification in vertebrates 349-358  
 Bazer GT → Ebbesson SOE et al 215-218  
 Beenackers AMTh → Van Antwerpen R et al 661-668  
 Beier HM → Mulholland J et al 123-132  
 Benoit R → Mesguich P et al 419-427  
 Bervoets TJM → Bronckers ALJJ et al 631-638  
 Bicknell RJ → Ingram CD et al 655-659  
 Billo R → Sakai T et al 589-600  
 Billo R → Sakai T et al 601-610  
 Björnhag G → Snipes RL et al 435-447  
 Blöchl R, Selzer R: Embryogenesis of the connective chordotonal organ in the pedicel of the American cockroach: Cell lineage and morphological differentiation 669-678  
 Bochkansl R, Thie M, Wirth B, Kirchner C: Uteroglobin as progesterone-binding protein in the preimplantation uterine epithelium of the rabbit: Histochemical studies 625-630  
 Borg LAH → Schnell AH et al 9-15  
 Bornstein JC → Furness JB et al 79-87  
 Bottger BA, Sjölund M, Thyberg J: Chloroquine and monensin inhibit induction of DNA synthesis in rat arterial smooth muscle cells stimulated with platelet-derived growth factor 275-285  
 Bottke W, Tiedtke A: An autoradiographic and cytophotometric study of oogenesis in a pulmonate snail, *Planorbis cornuus* 67-77  
 Bowen-Pope DF → Yablonka-Reuveni Z et al 339-348  
 Bronckers ALJJ, Lyaruu DM, Bervoets TJM, Wöltgens JHM: The effect of colchicine on protein secretion by differentiating odontoblasts and ameloblasts in the hamster tooth in vitro as shown by radioautography with <sup>3</sup>H-proline 631-638  
 Bührle C → Taugner R et al 687-690  
 Buma P, Nieuwenhuys R: Ultrastructural characterization of exocytotic release sites in different layers of the median eminence of the rat 107-114  
 Burden HW → Klein CM 403-410  
 Burke RD, Alvarez CM: Development of the esophageal muscles in embryos of the sea urchin *Strongylocentrotus purpuratus* 411-417  
 Card JP, Fitzpatrick-McElligott S, Gozes I, Baldino F Jr: Localization of vasopressin-, vasoactive intestinal polypeptide-, peptide histidine isoleucine- and somatostatin-mRNA in rat suprachiasmatic nucleus 307-315  
 Carrington JL → Luckenbill-Edds L 573-579  
 Caterson B → Sorrell JM et al 523-531  
 Cerini MED → O'Shea JD et al 199-206  
 Chafouleas JG → Kagi U et al 359-365  
 Costa M → Furness JB et al 79-87  
 Cozzi B, Möller M: Indications for the presence of two populations of serotonin-containing pinealocytes in the pineal complex of the golden hamster (*Mesocricetus auratus*). An immunohistochemical study 115-122  
 Dacheux F, Dacheux J-L: Immunocytochemical localization of antagglutinin in the boar epididymis 329-337  
 Dacheux J-L → Dacheux F 329-337  
 De Mazière AMGL, Scheuermann DW: Morphometrical analysis of the gap-junctional area in parenchymal cells of the rat liver after administration of dibutyl cAMP and aminophylline 611-618  
 Dermietzel R → Krause D et al 543-555  
 Dostal S → Wrobel K-H et al 639-653  
 Dreyer C → Wedlich D 479-489  
 Dubois PM → Mesguich P et al 419-427  
 Eagles PAM → Metuzals J et al 249-262  
 Ebbesson SOE, Bazer GT, Reynolds JB, Bailey RP: Retinal projections in sockeye salmon smolts (*Oncorhynchus nerka*) 215-218  
 Ebisawa S → Sato T 287-292  
 Elekes K, Hustert R: The efferent innervation of the genital chamber by an identified serotonergic neuron in the female cricket *Acheta domestica* 449-457  
 Emson PC → Furness JB et al 79-87  
 Ferguson DJP: An ultrastructural study of mitosis and cytokinesis in normal 'resting' human breast 581-587  
 Firth JA → Ward BJ et al 57-66  
 Fitzpatrick-McElligott S → Card JP et al 307-315  
 Fritsch B, Sonntag R: The trochlear motoneurons of lampreys (*Lampetra fluviatilis*): location, morphology and numbers as revealed with horseradish peroxidase 223-229  
 Fujita T → Sato O et al 231-238  
 Furness JB, Keast JR, Pompolo S, Bornstein JC, Costa M, Emson PC, Lawson DEM: Immunohistochemical evidence for the presence of calcium-binding proteins in enteric neurons 79-87  
 Gache D → Hirsch M et al 165-173  
 Gainer H → Metuzals J et al 249-262  
 Garrone R → Ruggiero F et al 619-624  
 Garry DJ, Garry MG, Sorenson RL: Ultrastructural immunocytochemical localization of L-glutamate decarboxylase and GABA in rat pancreatic zymogen granules 191-197  
 Garry MG → Garry DJ et al 191-197  
 Gauthier S → Metuzals J et al 239-248  
 Gemmell RT, Nelson J: The ultrastructure of the lung of two newborn marsupial species, the northern native cat, *Dasyurus hallucatus*, and the brushtail possum, *Trichosurus vulpecula* 683-685  
 Georges D: Effect of monosodium glutamate on the neural complex of *Ciona intestinalis* (Tunicata) 49-55  
 Gerstberger R: Functional vasoactive intestinal polypeptide (VIP)-system in salt glands of the Pekin duck 39-48  
 Giebelmann S → Jelkmann W et al 429-434  
 Gläsener G, Himstedt W, Weiler R, Matute C: Putative neurotransmitters in the retinae of three urodele species (*Triturus alpestris*, *Salamandra salamandra*, *Pleurodeles waltli*) 317-328  
 Goldberg D, Nusbaum MP, Marder E: Substance P-like immunoreactivity in the stomatogastric nervous systems of the crab *Cancer borealis* and the lobsters *Panulirus interruptus* and *Homarus americanus* 515-522  
 Gorgas K → Sakai T et al 589-600  
 Gozes I → Card JP et al 307-315  
 Grunditz T → Uddman R et al 141-146  
 Hackenthal E → Taugner R et al 687-690  
 Hansen BL → Hansen GN et al 557-563

- Hansen GN, Hansen BL, Scharrer B: Diversity of prolactin systems in the insect *Leucophaea maderae*. Use of antiserum polyclonality for immunocytochemical detection of neuropeptide heterogeneity 557-563
- Hasegawa K → Iijima T et al 1-8
- Heizmann CW → Kägi U et al 359-365
- Herzog V → Baumeister FAM 349-358
- Heym Ch → Kummer W 463-471
- Himstedt W → Gläsener G et al 317-328
- Hirosawa K → Matsumoto E et al 293-300
- Hirose H → Iijima T et al 1-8
- Hirsch M, Gache D, Noske W: Orthogonal arrays of particles in non-pigmented cells of rat ciliary epithelium: Relation to distribution of filipin- and digitonin-induced alterations of the basolateral membrane 165-173
- Hörnigke H → Snipes RL et al 435-447
- Hotta Y → Matsumoto E et al 293-300
- Houghton S → Metuzals J et al 239-248
- Houghton S → Metuzals J et al 249-262
- Hustert R → Elekes K 449-457
- Iijima T, Hasegawa K, Hirose H: Wall structure of arteriovenous anastomoses in the rabbit ear. Combined light-, scanning- and transmission electron-microscopic studies 1-8
- Ingram CD, Keefe PD, Wooding FBP, Bicknell RJ: Morphological characterisation of lactotrophs separated from the bovine pituitary by a rapid enrichment technique 655-659
- Iwanaga T → Sato O et al 231-238
- Jelkmann W, Schramm U, Giebelmann S, Schneede P, Seydel FP: A new stable epithelial cell line (RK-L) from normal rat kidney 429-434
- Jessen KR → Mikkelsen HB et al 301-306
- Kägi U, Chafouleas JG, Norman AW, Heizmann CW: Developmental appearance of the  $Ca^{2+}$ -binding proteins parvalbumin, calbindin D-28K, S-100 proteins and calmodulin during testicular development in the rat 359-365
- Kang CY → Metuzals J et al 239-248
- Kashiwamata S → Katoh-Semba R et al 133-139
- Katoh-Semba R, Keino H, Kashiwamata S: A possible contribution by glial cells to neuronal energy production: Enzyme-histochemical studies in the developing rat cerebellum 133-139
- Kawamata S: Effects of calcium preloading on the growth of calcium carbonate crystals in the endolymphatic sac of the tree frog, *Hyla arborea japonica* 679-682
- Kawata S → Tamura S et al 397-401
- Keast JR → Furness JB et al 79-87
- Keefe PD → Ingram CD et al 655-659
- Keino H → Katoh-Semba R et al 133-139
- Kemme M → Aumüller G et al 377-383
- Kerr JB, Risbridger GP, Knell CM: Stimulation of interstitial cell growth after selective destruction of foetal Leydig cells in the testis of postnatal rats 89-98
- Kirby ML: Nodose placode provides ectomesenchyme to the developing chick heart in the absence of cardiac neural crest 17-22
- Kirchner Ch → Bochschanl R et al 625-630
- Klein CM, Burden HW: Substance P- and vasoactive intestinal polypeptide (VIP)-immunoreactive nerve fibers in relation to ovarian postganglionic perikarya in para- and prevertebral ganglia: Evidence from combined retrograde tracing and immunocytochemistry 403-410
- Knell CM → Kerr JB et al 89-98
- Kobayashi S → Sato O et al 231-238
- Kramer RH, Rosen SD, McDonald KA: Basement-membrane components associated with the extracellular matrix of the lymph node 367-375
- Krause D, Vatter B, Dermietzel R: Immunochemical and immunocytochemical characterization of a novel monoclonal antibody recognizing a 140 kDa protein in cerebral pericytes of the rat 543-555
- Kriz W → Sakai T et al 589-600
- Kriz W → Sakai T et al 601-610
- Krosigk M von → Vincent SR 219-222
- Kummer W, Heym C: Neuropeptide distribution in the cervico-thoracic paravertebral ganglia of the cat with particular reference to calcitonin gene-related peptide immunoreactivity 463-471
- Langer H → Anton-Erxleben F 385-396
- Larsson A → Uddman R et al 141-146
- Lawson DEM → Furness JB et al 79-87
- Leblanc R → Metuzals J et al 239-248
- Lechlaire J-P: Formation of desmosomes and other contact specializations in cultured skin of the frog (*Rana esculenta*) 157-163
- Levitt P: Normal pharmacological and morphometric parameters in the noradrenergic hyperinnervated mutant mouse, "tottering" 175-180
- Linnemans WAM → Van Antwerpen R et al 661-668
- Loher W → Moore D 501-514
- Luckenbill-Edds L, Carrington JL: Effect of hyaluronic acid on the emergence of neural crest cells from the neural tube of the quail, *Coturnix coturnix japonica* (Aves) 573-579
- Lyaruu DM → Bronckers ALJJ et al 631-638
- Maeda T → Sato O et al 231-238
- Mahmoodian F → Sorrell JM et al 523-531
- Marder E → Goldberg D et al 515-522
- Mark K von der → Ruggiero F et al 619-624
- Matsumoto A, Murakami S, Arai Y: Neurotropic effects of estrogen on the neonatal preoptic area grafted into the adult rat brain 33-37
- Matsumoto E, Hirose H, Takagawa K, Hotta Y: Structure of reticular cells in a *Drosophila melanogaster* visual mutant, *rdgA*, at early stages of degeneration 293-300
- Matute C → Gläsener G et al 317-328
- McDonald KA → Kramer RH et al 367-375
- Mesguich P, Benoit R, Dubois PM, Morel G: Somatostatin-28- and somatostatin-14-like immunoreactivities in the rat pituitary gland 419-427
- Metuzals J, Pant H, Gainer H, Eagles PAM, White NS, Houghton S: In vitro polymorphism and phase transitions of the neurofilamentous network isolated from the giant axon of the squid (*Loligo pealei* L.) 249-262
- Metuzals J, Robitaille Y, Houghton S, Gauthier S, Kang CY, Leblanc R: Neuronal transformations in Alzheimer's disease 239-248
- Metz R → Taugner R et al 687-690
- Midtgård U: Innervation of arteriovenous anastomoses in the brood patch of the domestic fowl 207-210
- Mikkelsen HB, Mirsky R, Jessen KR, Thuneberg L: Macrophage-like cells in muscularis externa of mouse small intestine: Immunohistochemical localization of F4/80, M1/70, and Ia-antigen 301-306
- Mirsky R → Mikkelsen HB et al 301-306
- Møller M → Cozzi B 115-122
- Moore D, Loher W: Axonal projections within the brain-retrocerebral complex of the cricket, *Teleogryllus commodus* 501-514
- Morel G → Mesguich P et al 419-427
- Müller CM: Distribution of GABAergic perikarya and terminals in the centers of the higher auditory pathway of the chicken 99-106
- Münz A: Heterologous gap junctions between oocytes and follicle cells of an insect, *Dysdercus intermedius*, and their potential role as ion current pathways 147-155
- Mulholland J, Winterhager E, Beier HM: Changes in proteins synthesized by rabbit endometrial epithelial cells following primary culture 123-132
- Murakami S → Matsumoto A et al 33-37
- Murdoch WJ: Disruption of cellular associations within the granulosa compartment of periovulatory ovine follicles: Relationship to maturation of the oocyte and regulation by prostaglandins 459-462

- Nameroff M → Yablonka-Reuveni Z et al 339-348
- Nelson J → Gemmell RT 683-685
- Nieuwenhuys R → Buma P 107-114
- Nobiling R → Sakai T et al 589-600
- Nobiling R → Taugner R et al 687-690
- Norman AW → Kagi U et al 359-365
- Noske W → Hirsch M et al 165-173
- Nusbaum MP → Goldberg D et al 515-522
- Obinata T → Saitoh O et al 263-273
- Ogata T, Yamasaki Y: Scanning electron-microscopic study on the three-dimensional structure of motor endplates of the slow (tonic) muscle fibers in the frog, *Rana n. nigromaculata* 211-213
- Okamoto M → Tamura S et al 397-401
- O'Shea JD, Cerini MED, Ward HA: Expression of leucocyte antigens by cells from the metrial gland of the pregnant rat 199-206
- Pant H → Metuzals J et al 249-262
- Papka RE, Traurig HH: Distribution of subgroups of neuropeptide Y-immunoreactive and noradrenergic nerves in the female rat uterine cervix 533-541
- Perrone JB, Spielman A: Time and site of assembly of the peritrophic membrane of the mosquito *Aedes aegypti* 473-478
- Pfäffle M → Ruggiero F et al 619-624
- Pompolo S → Furness JB et al 79-87
- Reynolds JB → Ebbesson SOE et al 215-218
- Richter-Landsberg Ch: Nerve growth factor-inducible, large external (NILE) glycoprotein in developing rat cerebral cells in culture 181-190
- Risbridger GP → Kerr JB et al 89-98
- Robitaille Y → Metuzals J et al 239-248
- Rosen SD → Kramer RH et al 367-375
- Ruggiero F, Pfäffle M, Mark K von der, Garrone R: Retention of carboxypeptides in type-II collagen fibrils in chick embryo chondrocyte cultures 619-624
- Saitoh O, Arai T, Obinata T: Distribution of microtubules and other cytoskeletal filaments during myotube elongation as revealed by fluorescence microscopy 263-273
- Sakai T, Billo R, Nobiling R, Gorgas K, Kriz W: Ultrastructure of the kidney of a South American caecilian, *Typhlonectes compressicaudus* (Amphibia, Gymnophiona). I. Renal corpuscle, neck segment, proximal tubule and intermediate segment 589-600
- Sakai T, Billo R, Kriz W: Ultrastructure of the kidney of a South American caecilian, *Typhlonectes compressicaudus* (Amphibia, Gymnophiona). II. Distal tubule, connecting tubule, collecting duct and Wolffian duct 601-610
- Sato O, Maeda T, Kobayashi S, Iwanaga T, Fujita T: Filiform papillae as a sensory apparatus in the tongue: An immunohistochemical study of nervous elements by use of neurofilament protein (NFP) and S-100 protein antibodies 231-238
- Sato T, Ebisawa S: A pineal ganglion associated with the pineal tract in the domestic fowl 287-292
- Scharrer B → Hansen GN et al 557-563
- Scheit KH → Aumüller G et al 377-383
- Scheuermann DW → De Mazière AMGL 611-618
- Schimmel M → Wrobel K-H et al 639-653
- Schneede P → Jelkmann W et al 429-434
- Schnell AH, Swenne I, Borg LAH: Lysosomes and pancreatic islet function. A quantitative estimation of crinophagy in the mouse pancreatic B-cell 9-15
- Schoenwolf GC → Smith JL 491-500
- Schramm U → Jelkmann W et al 429-434
- Seitz J → Aumüller G et al 377-383
- Selzer R → Blöchl R 669-678
- Seydel FP → Jelkmann W et al 429-434
- Sjölund M → Bottger BA et al 275-285
- Smith JL, Schoenwolf GC: Role of cell-cycle in regulating neuroepithelial cell shape during bending of the chick neural plate 491-500
- Snipes RL, Hörnicke H, Björnag G, Stahl W: Regional differences in hindgut structure and function in the nutria, *Myocastor coypus* 435-447
- Sonntag R → Fritzsche B 223-229
- Sorenson RL → Garry DJ et al 191-197
- Sorrell JM: Ultrastructural localization of fibronectin in bone marrow of the embryonic chick and its relationship to granulopoiesis 565-571
- Sorrell JM, Mahmoodian F, Caterson B: Immunochemical characterization and ultrastructural localization of chondroitin sulfates and keratan sulfate in embryonic chick bone marrow 523-531
- Spielman A → Perrone JB 473-478
- Stahl W → Snipes RL et al 435-447
- Sundler F → Uddman R et al 141-146
- Swenne I → Schnell AH et al 9-15
- Takagawa K → Matsumoto E et al 293-300
- Tamura S, Kawata S, Okamoto M, Tarui S: Localization of cytochrome P-450 in the colonic mucosa of 3-methylcholanthrene-pretreated and untreated rats. An immunohistochemical study 397-401
- Tarui S → Tamura S et al 397-401
- Taugner F → Taugner R et al 687-690
- Taugner R, Nobiling R, Metz R, Taugner F, Bührle C, Hackenthal E: Hypothetical interpretation of the calcium paradox in renin secretion 687-690
- Terakado K: The pattern of organization of intermediate filaments and their asymmetrical association with dense bodies in smooth muscle of an ascidian *Halocynthia roretzi* 23-32
- Thie M → Bochskañl R et al 625-630
- Thuneberg L → Mikkelsen HB et al 301-306
- Thyberg J → Bottger BA et al 275-285
- Tiedtke A → Bottke W 67-77
- Traurig HH → Papka RE 533-541
- Uddman R, Grunditz T, Larsson A, Sundler F: Sensory innervation of the ear drum and middle-ear mucosa: Retrograde tracing and immunocytochemistry 141-146
- Van Antwerpen R, Linnemans WAM, Van der Horst DJ, Beenackers AMTh: Immunocytochemical localization of lipophorins in the flight muscles of the migratory locust (*Locusta migratoria*) at rest and during flight 661-668
- Van der Horst DJ → Van Antwerpen R et al 661-668
- Vatter B → Krause D et al 543-555
- Vesper M → Aumüller G et al 377-383
- Vincent SR, Krosigk M von: Two populations of somatostatin-immunoreactive neurons in the guinea pig striatum 219-222
- Ward BJ, Bauman KF, Firth JA: Interendothelial junctions of cardiac capillaries in rats: their structure and permeability properties 57-66
- Ward HA → O'Shea JD et al 199-206
- Wedlich D, Dreyer Ch: Cell specificity of nuclear protein antigens in the development of *Xenopus* species 479-489
- Weiler R → Gläsener G et al 317-328
- White NS → Metuzals J et al 249-262
- Winterhager E → Mulholland J et al 123-132
- Wirth B → Bochskañl R et al 625-630
- Wöltgens JHM → Bronckers ALJJ et al 631-638
- Wooding FBP → Ingram CD et al 655-659
- Wrobel K-H, Dostal S, Schimmel M: Postnatal development of the tubular lamina propria and the intertubular tissue in the bovine testis 639-653
- Yablonka-Reuveni Z, Anderson SK, Bowen-Pope DF, Nameroff M: Biochemical and morphological differences between fibroblasts and myoblasts from embryonic chicken skeletal muscle 339-348
- Yamasaki Y → Ogata T 211-213